

### Compatibility List of Pylontech ESS and Inverters

Ver.2.20 Last Update: 05/15/2023

Inverter Brand	Inverter Type	Battery	Communication	Application	Key Features		Firmware Ver.	Installation
					Activation	Force Charge		
Ingenium Power Technology	ISS 1Play 3TL / 6TL	Powercube X1/X2/H1/H2 Powercube X1/X2/H1/H2-V2 Force H1/H2 Force H1/H2-V2	CAN	On/off-grid	Yes	Yes	ABH1002AA ABH1001_C0(esp)	Wall mounting
	Sola		CAN	On/off-grid	Yes	Yes	V08(1) 400SE(2)	Wall mounting
SMA Solar Technology AG	SBS 3.7-10 - SBS6-9-10**		CAN	On/off-grid	Yes	Yes	04.04.03.R	Wall mounting
	PLENTICORE plus*** PLENTICORE plus (2cm) PLENTICORE Bi xxx2g** PLENTICORE Bi xxx2G 62**		RS485	On/off-grid	Yes	Yes	02.08.xxxxx	Wall mounting
Sungrow	SH5.0E.0.0E.010.0RT		CAN	On/off-grid	Yes	Yes	SAPPHIRE-H_V11_V01_A	Wall mounting
Dekois s.r.l.	DLX HV series		CAN	On/off-grid	Yes	Yes	V3.00	Wall mounting
Goodrive	EHET/BI/BIH series		CAN	On/off-grid	Yes	Yes	V14	Wall mounting
EATON	iStorage Home SP Series		CAN	On/off-grid	Yes	Yes	V3.00	Wall mounting
SolarMax	ES-T Series		CAN	On/off-grid	Yes	Yes	V3.00	Wall mounting
Deye(Sunynk)	SUN 5-20K-SC01HP3-ELP* SUN 30-30K-SC01HP3-LSI* SUN 25-9-50K-SC01HP3-ELP*		CAN	On/off-grid	Yes	Yes	2001.X018	Wall mounting
Lux Power	Hybrid HB series		CAN	On/off-grid	Yes	Yes		Wall mounting
Redback	RB-HV5(S110000/1) RB-HV9-AC(807200/2)		Modbus RTU	On/off-grid	Yes	Yes	V2.6(1) V2.9(2)	Cabinet
Solar	HYD 105001500020000 TL 39H		CAN	On/off-grid	Yes	Yes	FW_D0110036 DSP_V010027	Wall mounting
Sunways	STH-4-12KTL-H1 series STH-3-8KTL-HS series		CAN	On/off-grid	Yes	Yes	ARM: V0054	Wall mounting
	STR-4-12KTL-H1 series STR-3-8KTL-HS series							
eCACTUS	WH-SPA-3(BNH1) WH-SPA-5(OH1)		Modbus RTU	On/off-grid	Yes	Yes	21426-00AR(1) 21426-00SR(1) 511-00007-03(2)	Wall mounting
	WH-SMC series(2) WH-THA series(2)							
Senergy	SE 3K-8K4B HV SE 3K-30K4B G3		CAN	On/off-grid	Yes	Yes	V010000	Wall mounting
Salfou S.A.	EQX2 3001-800Z-HSX series EQX2 400Z-1200Z-H1 series		CAN	On/off-grid	Yes	Yes	V1_29_45_04_00	Wall mounting
HYPONTECH	HHS series(1) HBS series(1) HFT series(2) HBT series(2)		CAN	On/off-grid	Yes	Yes	Ver 29(1) Ver 29(2)	Wall mounting
ASWEI	ASW0640B410H12H15H-T1(1) ASW05640B40B410H412H4-T2(2) ASW08410H412H4-T3(2)	CAN	On/off-grid	Yes	Yes	DSP-1.04.00(1) ARM V610-00005-02(1) V610-00001-00(2)	Wall mounting	
SOLNTEG	MHT 4-20K Series MHT 25-50K Series MHS 3-8K Series MST 4-20K Series MRT 25-50K Series MSR 3-8K Series	CAN	On/off-grid	Yes	Yes	ARM: V01(08)	Wall mounting	
ETEK	ETH-3-8KTL-HS Series ETH-4-20KTL-H1 Series ETH-25-50KTL-H1 Series	CAN	On/off-grid	Yes	Yes	ARM: V01(08)	Wall mounting	
MEGAREVO	RE-12KH3 Series	CAN	On/off-grid	Yes	Yes	ARM V1.02.13 DSP V1.03.14 ARM V1.01.41 DSP V1.02.20	Wall mounting	
Hoymiles	HVT HV Series HAT HV Series	CAN	On/off-grid	Yes	Yes	Power - V00.04.07 Safety - V00.04.06 System - V00.02.18	Wall mounting	
KOYOE	KY-ES1060H-KY-ES1200H	CAN	On/off-grid	Yes	Yes	320701	Wall mounting	
Dream Maker	PCS 3-4-20KW-250V-A1 PCS 3-12-40KW-250V-A1 PCS 3-25-50KW-100V	CAN	On/off-grid	Yes	Yes	ARM: V01(08)	Wall mounting	
SAJ	H2-3K-6K-S2 H2-3K-10K-T2	CAN	On/off-grid	Yes	Yes	V1.018	Wall mounting	
LEDIT	FVH series	CAN	On/off-grid	Yes	Yes	V3.00	Wall mounting	
Sonnec	SM-10K-30K-TL-TN	CAN	On-grid	Yes	Yes		Wall mounting	
Inson Energy	3-7.4.65HV	CAN	On/off-grid	Yes	Yes	V1.10	Wall mounting	
Gowatt	SPH10000L3	CAN	On/off-grid	Yes	Yes	V410	Wall mounting	
Tsun	TSCL-HA-3.0-6-GR-H	CAN	On/off-grid	Yes	Yes	DSP V1.0; ARM V1.14	Wall mounting	
ORBIT	TB520TD	CAN	On-grid	Yes	Yes	1.0.3	Wall mounting	
Votronic	Infinistar TX-PA 30K	Modbus RTU	On/off-grid	Yes	Yes	2008.27.12 21.01.27	Cabinet	
B&B Microwave Energy	BME 20 BME 30	Modbus RTU	On/off-grid	Yes	Yes	DSP-2101.2212 MCU-2011.1212	Cabinet	
SCIENTEG	MHT 25-50K Series MRT 25-50K Series	CAN	On/off-grid	Yes	Yes	ARM: V01(08)	Wall mounting	
ATESS	HPS0300-1000 Series HPS0300-1000 Series	CAN	On/off-grid	Yes	Yes	HPS03K_150K_HV3_SV9.1.3	Cabinet	
MEGAREVO	MEGA0030-050T Series MEGA0050-050T Series MEGA0050-050T Series	CAN	On/off-grid	Yes	Yes	V302B00D014 V102B00D014	Cabinet	
Growcol	GW-MPS0030-0500 Series	CAN	On/off-grid	Yes	Yes	V302B00D014	Cabinet	
Elacoc	Battery Inverter							
Ferramp	EnergyHub		Customized with additional EMS	On/off-grid				
Sungrow	SG series						Cabinet	
Shenzel	PWS/PWG series							
Kinoh	SCS series							

\*When compatible with Deye hybrid inverter mentioned in the list above, make sure the Battery Controller firmware is as below or higher:  
 (1) Force H1/H2-V1; (2) Force H1/H2-V2; V1.1; (3) Powercube XHV V2; Powercube XHV V2-V1.2.  
 \*\*Only Force H1-V2 and Force H2-V2 is compatible with SMA Sunny Boy Storage inverters mentioned in the list above.  
 \*\*\*Only Force H1-V2 and Force H2-V2 is compatible with Kostal PLENTICORE series inverter mentioned in the list above.

Note: Compatible tests with different brands of inverter are continuously, updates of this list will be periodically.  
 For any query, please contact: [service@pylontech.com.cn](mailto:service@pylontech.com.cn)

## Compatibility List of Pylontech ESS and Inverters

Ver.2.20 Last Update: 05/15/2023

**48V Energy Storage Solution** ([US2000](#) / [US2000V2](#) / [US3000](#) / [US2000C](#) / [US3000C](#) / [US5000](#) / [US5000-B](#) / [UP5000](#) / [Phantom-S](#) / [Force-L1/L2](#) / [Pelio-L](#))

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
Victron Energy	Multiplus 48V (via Venus OS)	CAN	On/off-grid*	Yes	Yes	422/V2.15	Wall mounting
	Quattro 48V (via Venus OS)	CAN	On/off-grid*	Yes	Yes	422/V2.15	Wall mounting
SMA Solar Technology AG	SI 4.4-M	CAN	On/off-grid****	No	Yes		Wall mounting
	SI 6.0-H						
	SI 8.0-H						
	SI 6048US						
Schneider-Electric	Conext XW Pro series	CAN	On/off-grid	Yes	Yes	Gateway: V1.06 XW+ Pro: V1.04 (UL) / V1.05 (IEC)	Wall mounting
Goodwe	GW-BP	CAN	On-grid	Yes	Yes		Wall mounting
	SBP GW-ES	CAN	On-grid	Yes	Yes		Wall mounting
	EM	CAN	On-grid	Yes	Yes		Wall mounting
Imeon Energy	IMEON 3.6	CAN	On/off-grid	Yes	Yes	V1.7.6.5	Wall mounting
	IMEON 9.12	CAN	On/off-grid	Yes	Yes	V1.7.6.5	Wall mounting
Studer Innotec	Xtender 48V serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
	VarioString serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
	VarioTrack 48V serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
Selectronic	SPMC 480	CAN	On/off-grid	No	Yes		Wall mounting
	SPMC 481	CAN	On/off-grid	No	Yes		Wall mounting
	SPMC 482	CAN	On/off-grid	No	Yes		Wall mounting
Voltronic	Infinisolar series 48V	RS485(9600)	On/off-grid	Yes	Yes	V1.00	Wall mounting
	Expert series 48V**	RS485(9600)	On/off-grid	Yes	Yes	V2.61	Wall mounting
Sofar	ME3000SP	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
	HYD series	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting

### Compatibility List of Pylontech ESS and Inverters

Ver.2.20 Last Update: 05/15/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
Sermatec	SMT-5K-TL-LV	RS485(9600)/CAN	On/off-grid	Yes	Yes		Wall mounting
Zucchetti Centro Sistemi	Azzurro 3000SP	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
	Azzurro HYD3000/6000-ES	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
Solis	RHI series	CAN	On/off-grid	PV only	Yes	90009	Wall mounting
	RAI series	CAN	On/off-grid	PV only	Yes	90009	Wall mounting
Redback	SH5000	RS485(115200)	On-grid	PV only	No		Cabinet
Deye(Sunsynk)	SUN-SG01LP1 series	CAN	On/off-grid	Yes	Yes	V1586	Wall mounting
	SUN-SG03LP1 series	CAN	On/off-grid	Yes	Yes	V1586	Wall mounting
Alpha & Outback Energy	SPCIII-5000-48	RS485(9600)	Off-grid	Yes	Yes	91.24	Wall mounting
	SPCIII-7200-48					45.06	
	SPCIIIS-5000-48					71.1	
Lux Power	LXP 3-6K Hybrid	CAN	On/off-grid	Yes	Yes	AA1.0	Wall mounting
	ACS series					AA1.0	
	LXP-LB-EU Series					EA1.0 (for 8K/10K model) fA1.0 (for 12K model)	
	LXP-LB-US Series						
Sungrow	SH5K	CAN	On-grid	Yes	Yes	V13	Wall mounting
Morningstar	TriStar MPPT in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	TriStar MPPT 600V in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	TriStar PWM TS-45 in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	GS-MPPT-60M/80M/100M-200V*****	CAN	On/off-grid	PV only	No	v2.0	Wall mounting
Delios s.r.l.	DLS/C series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
	DLS AC series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
Ingeteam Power Technology	ISS 1Play TL M series	CAN	On/off-grid	Yes	Yes	ABH1007_D	Wall mounting
MLT	Oasis 448	N/A	Off-grid	No	Yes	V2.19	Wall mounting
	Oasis 648	N/A	Off-grid	No	Yes	V2.19	Wall mounting
Steca	Solarix PLI 5000-48	N/A	Off-grid	Manual	No		Wall mounting
SAJ	Sunfree series	RS485(9600)	On/off-grid	Yes	Yes	V2.031/V1.037	Wall mounting
	H1 series	CAN	On/off-grid	Yes	Yes	V2.094/V1.318	Wall mounting

## Compatibility List of Pylontech ESS and Inverters

Ver.2.20 Last Update: 05/15/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pello-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
SolarMax	ES series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
	AC series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
Growatt	SPH3000 - 6000	CAN	On/off-grid	No	Yes	RA1.0	Wall mounting
	SPF2000 - 5000 HVM-48/LVM-48P***	RS485(9600)	On/off-grid	No	Yes	GW500.08/502.05/503.03/507.03	Wall mounting
	M2000H/3000H/5000H - 48***	RS485(9600)	On/off-grid	No	Yes	SK001.11/012.06/013.03/035.00	Wall mounting
Sol-Ark	Sol-Ark-5K/8K-48-ST, Sol-Ark-5K-120V, Sol-Ark-8K-120/230V, Sol-Ark-8K-230-1P, Sol-Ark-12K-P, Sol-Ark-12K-3P-380V, Limitless 15K-LV	CAN	On/off-grid	Yes	Yes	V1430	Wall mounting
AXIOMA energy	ISPWM 5000	N/A	On/off-grid	No	No		Wall mounting
	ISMPPT BF 3000 - 5000	N/A	On/off-grid	No	No		Wall mounting
	ISGRID (BF) 3000 - 5000	N/A	On/off-grid	No	No		Wall mounting
Phocos	Any-grid PSW-H-5kW-230/48V	RS485(9600)	On/off-grid	Yes	Yes	V1.00	Wall mounting
Western CO.	LEONARDO PRO 3000/48 Li (via Western LK3)	CAN	On/off-grid	Yes	Yes	V1.1	Wall mounting
EFFEKTA	AX-M1 4000/5000-48 (via Com Box)	RS485(9600)	On/off-grid	Yes	Yes	54.40/74.40	Wall mounting
	AX-K1 4000/5000-48 (via Com Box)	RS485(9600)	On/off-grid	Yes	Yes	14.40/34.40	Wall mounting
	AX-M2 4000/5000-48	RS485(9600)	On/off-grid	Yes	Yes	51.00/72.01	Wall mounting
Kehua	SPH5000-BL	CAN	On-grid	Yes	Yes	V1.00.013	Wall mounting
INVT	BD series	CAN	On/off-grid	Yes	Yes	V1.06	Wall mounting
TBB	Kinergler Pro Series: CK-II 2.0S-3.0S	CAN	On/off-grid	No	Yes	DSP: V1.03C LCD: V1.01B	Wall mounting
	Kinergler Pro Series: CK4.0S-8.0S	CAN	On/off-grid	No	Yes	DSP: V1.23A LCD: V1.21A	Wall mounting
MUST	PV1800 VHM 3KW - 5.5KW	CAN	On/off-grid	No	Yes	1.17.06	Wall mounting
Moixa	Smart Battery V4 3000	CAN	On-grid	Yes	Yes	V2.2.1	Wall mounting
	GridShare Hub	CAN	On-grid	Yes	Yes	V2.2.1	Wall mounting

## Compatibility List of Pylontech ESS and Inverters

Ver.2.20 Last Update: 05/15/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
MEGAREVO	RKL1 Series	CAN	On/off-grid	Yes	Yes	ARM: 1.00.28 DSP: 1.01.23	Wall mounting
AISWEI	ASW3000/3680/4000/5000H-S	CAN	On/off-grid	Yes	Yes	master v610-02001-00	Wall mounting
	ASW3000/3680/4000/5000/6000H-S2					DSP:V610-02003-01 Safety:V610-10008-03	Wall mounting
SOROTEC	REVO II - 48V Series	CAN	On/off-grid	Yes	Yes	Inverter:1.5.4 Control board: 64	Wall mounting
	REVO E PLUS - 48V Series		Off-grid				
	REVO VM II - 48V Series						
	REVO VM PLUS - 48V Series						
FSP Power Solution GmbH	PowerManager series 4-15kW Offgrid PMI III / Zero	RS485(9600)	On/off-grid	Yes	Yes	V1.00 V2.61	Wall mounting
Senergy	SE 4K6/5K/6K/8B-60/120	RS485(9600)*****	On/off-grid	PV only	Yes	0.6.0	Wall mounting
	SE 4K6/5K/6KAC			No	Yes		
Livoltek	Hyper series	CAN	On/off-grid	Yes	Yes	1.78	Wall mounting
	Retro series			Off-grid	Yes		
	GF1-3K/5K48S1		Off-grid		Yes	Yes	ARM V0.59 DSP V0.13
	BV1-3K/5K48S1						
Hoymiles	HYS-LV Series	CAN	On/off-grid	Yes	Yes	Power - V01.04.19 and above Safety - V01.02.13 and above System - V00.02.18 and above	Wall mounting
	HAS-LV Series						
EAST	EAHI-3000 ~ 6000-SL	RS485	On/off-grid	Yes	Yes	master V1001, dsp V1004	Wall mounting
LEDIT	FVDi series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
Growwoc	MKS IV 5.6KW -B MKS IV 6kW TWIN MAX II-8000	RS485(9600)	On/off-grid	Yes	Yes		Wall mounting
OPTI-Solar	SP5000 Brilliant series	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
	SP5000 Regal/Hardy Plus	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
	SP4000/10000 Premium	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
GMDE	SolDate 3700TL+B0024	RS485(9600)	On-grid	No	Yes	V2.0.1	Wall mounting

\*When compatible with Victron MultiQuattro in off-grid application via Venus-device, it is required to have a Victron MPPT or other compatible PV inverter with Victron to avoid the system getting shut down.

\*\*When compatible with Voltronic Axpert series, only VM III and King two types are available for RS485 communication, for the rest types of Axpert only available for manual settings. When using VM III and King, only launch firmware 02.61 or higher can work with Force L1/L2.

\*\*\*When compatible with Growatt SPFEM series corresponding type, according to inverter logic, the depth of discharge(DoD) of battery shall be set to 80% or lower. Otherwise may lead to system shut down and need of manually recharge battery.

\*\*\*\*When compatible with SMA SI4.4M / SI6.0-H / SI8.0-H, it's required to follow the min. configuration table from SMA for a guaranteed configuration. The Force L1/L2 is not compatible with SMA SI series.

\*\*\*\*\*When compatible with Senergy inverter, max. configure 1 string of battery system, donot support multiple strings' connection.

\*\*\*\*\*When compatible with GS-MPPT-60M/80M/100M-200V, it requires optional ReadyBMS accessory.

**Note:** Compatible tests with different brands of inverter are continuously, updates of this list will be periodically.

For any query, please contact: service@pylontech.com.cn